

According to the Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC

**A.N.C.I. Servizi s.r.l. a socio unico – CIMAC Laboratories**  
**Community Identification N° 0465**

Grants:  
Manufacturer  
**EXENA SRL**  
VIA BREDA 7/A Z.I.A  
62012 CIVITANOVA MARCHE

**EU TYPE-EXAMINATION CERTIFICATE MODULE B**  
**N° F-130-03280-20**

for the following model of Personal Protective Equipment:

**Design/ Item:** Low shoe Art. SICILIA\_20  
**Category of PPE:** II  
**Additional requirements:** S3 SRC


safety footwear for professional use according to harmonized standard (\*)  
EN ISO 20345:2011

**Picture of the basic model**



**First issue date: 30/03/2020**  
**Revision date:**  
**Expiry date: 30/03/2025**

Business Unit Manager  
Paola Crespi



<b>Manufacturer's identification mark:</b>	EXENA		
<b>Classification:</b>	I - Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear		
<b>Size range:</b>	from 35 to 48 (french point)		
<b>Identification of last:</b>	C 13083		
<b>Manufacturing process:</b>	Injection		
<b>The footwear has a:</b>	non-metallic toecap	cod	AC001.242 (HAWAI PS143)
	non-metallic penetration-resistant insert	cod	SIF009.07 SIF009.18
	removable insock	cod	AC001.1780
<b>Additional requirements:</b>	heel area closed;		
	A	antistatic properties;	
	E	energy absorption of seat region;	
	WRU	water resistant upper	
	P	penetration resistance of sole complex;	
	FO	fuel oil resistant outsole; cleated outsole.	
<b>Test Reports:</b>	The results of tests and examinations are contained in the following test reports:		
	Whole footwear	CIMAC	RP 2019/4047-17-RP-1 dated 18/02/2020
	Upper, Tongue	CIMAC	RP 2018/2380-1-RP-3 dated 11/10/2018
	Upper	CIMAC	RP 2018/2380-1-RP-4 dated 11/10/2018
	Upper, Tongue	CIMAC	RP 2018/2380-1-RP-5 dated 11/10/2018
	Toecap, Vamp lining	CIMAC	RP 2017/0716-1-RP-2 dated 12/05/2017
	Vamp lining	CIMAC	RP 2017/0716-1-RP-4 dated 12/05/2017
	Quarter lining	CIMAC	RP 2017/0077-1-RP-2 dated 03/02/2017
		CIMAC	RP 2017/0077-1-RP-4 dated 03/02/2017
	Seat region lining	CIMAC	RP 2016/2305-1-RP-2 dated 21/11/2016
		CIMAC	RP 2016/2305-1-RP-4 dated 21/11/2016
	Collar	CIMAC	RP 2018/0649-1-RP-2 dated 23/05/2018
		CIMAC	RP 2018/0649-1-RP-4 dated 23/05/2018
	Removable insock	CIMAC	RP 2019/4047-4-RP-1 dated 18/02/2020
	Outsole	CIMAC	RP 2019/4047-5-RP-1 dated 18/02/2020
	Bottom of the footwear	CIMAC	RP 2020/0889-1-RP-1 dated 26/03/2020
	Insole	CIMAC	RP 2020/0889-3-RP-1 dated 26/03/2020
	non-metallic penetration-resistant insert	CIMAC	RP 2020/0889-2-RP-1 dated 26/03/2020
	Bottom of the footwear	CIMAC	RP 2019/4047-2-RP-1 dated 18/02/2019
	Insole/ non-metallic	CIMAC	RP 2018/0649-1-RP-2 dated 23/05/2018

penetration-resistant insert CIMAC RP 2018/0649-1-RP-3 dated 23/05/2018  
CIMAC RP 2018/0649-1-RP-4 dated 23/05/2018

## Marking



CE Marking

Name and postal address of the Manufacturer  
manufacturer's type designation  
the number and year of the reference European standard  
Category and additional requirements of the PPE  
Month and year of fabrication  
Size  
Batch number  
Reference to informative note



(\* Subsystems and safety components which are in conformity with harmonised standards or parts thereof the references of which have been published in the Official Journal of the European Union shall be presumed to be in conformity with the essential requirements set out in Annex II Regulation (EU) 2016/425.

**Validity conditions:** This certificate is valid for 5 years from the date of issue. On expiration the manufacturer shall ask for its renewal. The rules applied are those in force on the date of issue shown on this certificate; The validity of the certificate is no longer guaranteed if substitutive standards are issued before the expiration date. All changes made to the model and to the materials described in this EU type-examination certificate shall be reported to and approved by CIMAC. This EC Type-Examination Certificate may be integrally duplicated; the copy must be faithful, legible (if pint size) and must contain the bold caption "TRUE COPY". This certificate must be kept by the manufacturer to be shown, on request, to the inspection or notifying authorities.